

	<b>SY, Female</b>	<b>ASY, Female</b>
<b>Auricular</b>	brownish, sometimes tinged gray	brownish with a gray wash
<b>Breast</b>	indistinct to distinct black streaking, without a complete black band	distinct black streaking, without complete black band
<b>Upperparts</b>	brownish, sometimes tinged gray	brownish with a gray wash
<b>Alulas</b>	a1/a2 molt limit?	no contrast between a1 and a2
<b>Outer pp cov</b>	narrow, tapered, abraded and brown, with little or no pale edging	broad, truncate, relatively fresh, and brownish dusky, usually with distinct grayish edging
<b>Outer rects</b>	Relatively abraded, somewhat tapered and brownish with a relatively small amount of white (Fig 262 B-C)	relatively fresh, somewhat truncate, and brownish dusky with a moderate amount of white (Fig 262 C-D)

	<b>SY, Male</b>	<b>ASY, Male</b>
<b>Auricular</b>	black, sometimes tinged brownish	black
<b>Breast</b>	wide, complete or nearly complete, black band	wide, complete, black band
<b>Upperparts</b>	bluish-gray, often tinged brownish	bluish-gray
<b>Alulas</b>	a1/a2 molt limit	no contrast between a1 and a2
<b>Outer pp cov</b>	narrow, tapered, abraded and brown, with little or no pale edging	broad, truncate, relatively fresh, and brownish dusky, usually with distinct grayish edging
<b>Outer rects</b>	abraded, somewhat tapered and average dusker and with more white (Fig 262 B-D)	relatively fresh, somewhat truncate, and average blacker and with more white (Fig 262 D-E)